



P O R T F O L I O N E W S L E T T E R

J U L Y 2 0 2 1

NIHR University College London Hospital Clinical Research Facility Cancer Trials



INSIDE THIS ISSUE:

COVID-19	1
Latest News	2
Referral Information	2
Open Studies	3

COVID-19 and Early Phase Cancer Trials at UCLH

During this difficult time we are trying to keep the early phase cancer trials program open to enrolment. The CRF is a geographically distinct unit to the main hospital and patients are treated in individual rooms as much as possible to minimize infection risk.

We therefore continue to welcome referrals; however due to the pressures at the front line, we are running at limited capacity and may not be able to take your patient immediately. Please liaise with the PI of the study you are considering referring to.

This newsletter provides you with details of the current ongoing cancer trials.



Dr. Rakesh Popat, Consultant Haematologist Cancer Lead NIHR UCLH Clinical Research Facility

How to refer a patient

By Post:

NIHR UCLH Clinical Research Facility, University College London Hospitals NHS Foundation Trust, 4th Floor, 170 Tottenham Court Road, London, W1T 7HA

By Telephone: Reception: 020344 72929/72930 Reception Fax: 020344 72994

By Email*:

*When referring patients, ensure you use <u>nhs.net</u> emails. Patient identifiable data *should not* be sent to/ via non-NHS email accounts.

Principal Investigators

Prof. John Bridgewater

Dr. Martin Forster

Prof. Daniel Hochhauser

Prof. Sam Janes

Dr. Mark Linch

Prof. Tim Meyer

Dr. Rowan Miller

Dr. Jenny O'Nions

Dr. Dionysis Papadatos-Pastos

Dr. Rakesh Popat

Dr. Rebecca Roylance

Dr. Beatrice Seddon

- Dr. Heather Shaw
- Dr. Sandra Strauss

Dr. William Townsend

Contents

As it appears in alphabetical order

Breast

Gastro-Intestinal Haematology

Hepatobiliary

Solid Tumours Urology

Sarcoma

Latest News

UCLH CRF Principal Investigators Co-Authored Abstracts at ASCO 2021

The American Society of Clinical Oncology (ASCO) 2021 annual meeting was held as a virtual event between the 4th – 8th June. We are pleased to highlight 3 studies that were conducted at the NIHR UCLH CRF were featured at this international conference.

Haematology consultants Dr. Rakesh Popat co-authored on an abstract for the <u>DREAMM-2 trial</u> of Belantamab mafodin for myeloma and Dr. William Townsend on the <u>CRUKD/12/004 trial</u> of the MCT-1 inhibitor AZD3965 for lymphoma. Consultant medical oncologist Dr. Martin Forster was co-author on an abstract for the <u>TACTI-002 trial</u> of Eftilagimod alpha and Pembrolizumab in head & neck carcinoma.

This highlights the impact that our trials have for cancer treatments and we would like to congratulate our Principal Investigators on their achievements. The abstracts can be viewed on the <u>ASCO 2021</u> <u>Annual Meeting</u> webpage.

The DREAMM-2 and CRUKD/12/004 (AZD3965) studies are now closed for recruitment; we want to congratulate the teams for all their work.

More information on the TACTI-002 study can be found on the 'UCLH Find a Study Database'. Reference: <u>18/0560.</u>

UCLH Find a Study

To find more information on UCLH CRF Early Phase Cancer Clinical Trials visit the UCLH Find a Study database:

https://findastudy.uclh.nhs.uk/#/trial

Using the 'Study Name' and/or 'Local Project Reference' (LRP).



NIHR UCLH Clinical Research Facility Cancer Trials Open to Recruitment

For more information on a trial, including eligibility criteria click the hyperlinked Local Project Reference (LRP) ID.

Breast			
Study Acronym/ Full Title	LPR	PI	Drug Class/ Tumour Target
B-PRECISE-01 (MEN1611-01) Open-label, Multicentre, Phase lb Dose-escalation Study of MENI6I 1, a P13K Inhibitor Combined with Trastuzumab ± Fulvestrant, in Subjects with PIK3CA Mutated HER2-positive Locally Recurrent Unresectable (advanced) or Metastatic Breast Cancer Progressed to Anti-HER2 Based Therapy.		Dr. Rebecca Roylance	P13K Inhibitor PIK3CA Mutated HER2-positive Locally Recurrent Unresectable (advanced) or Metastatic Breast Cancer

Gastro-Intestinal			
Study Acronym/ Full Title	LPR	PI	Drug Class/ Tumour Target
FIDES-03 (DZB-CS-202) A Phase 1b/2 study of derazantinib as monotherapy and combination therapy with paclitaxel, ramucirumab or atezolizumab in patients with HER2-negative gastric adenocarcinoma harboring FGFR genetic aberrations (FIDES- 03)	<u>133317</u>	Prof. John Bridgewater	FGFR Inhibitor Stomach or Gastro-esophageal Adenocarcinoma harbouring FGFR2 genetic aberrations

Haematology				
Study Acronym/ Full Title	LRP	PI	Drug Class/ Tumour Target	
AML1001 A Phase 1, First in Human (FIH), Dose Escalation Study of JNJ-74856665 (dihydroorotate dehydrogenase [DHODH] Inhibitor) in Participants with Acute Myeloid Leukemia (AML) or Myelodysplastic Syndrome (MDS)	<u>135994</u>	Dr. Jenny O'Nions	Dihydroorotate Dehydrogenase (DHODH) Inhibitor Acute Myeloid Leukemia (AML) or Myelodysplastic Syndrome (MDS)	
BP41072 An Open-Label, Phase I Study To Evaluate The Safety, Pharmacokinetics And Preliminary Antitumor Activity Of Ro7227166 (A Cd19 Targeted 4-1bb Ligand) In Combination With Obinutuzumab And Incombination With Ro7082859 (Cd20-Tcb) Following A Pre-Treatment Dose Of Obinutuzumab Administered In Participants With Relapsed/ Refractory B-Cell Non-Hodgkin's Lymphoma.	<u>129333</u>	Dr. William Townsend	Ro7227166 (CD19-directed 41BB ligand) + Obinutuzumab (anti- CD20 Monoclonal Antibody) or Glofitamab (CD3-CD20 T-Cell Bispecific Antibody) Relapsed/Refractory B-Cell Non-Hodgkin's Lymphoma	
CC-220-MM-001 A Phase 1B/2A Multicenter, Open-Label, Dose-Escalation Study to Determine the Maximum Tolerated Dose, Assess the Safety and Tolerability, Pharmacokinetics and Preliminary Efficacy of CC-220 Monotherapy and in Combination with Dexamethasone in Subjects with Relapsed and Refractory Multiple Myeloma.	<u>16/0336</u>	Dr. Rakesh Popat	Cereblon E3 Ligase Modulator Relapsed and Refractory Multiple Myeloma	

Haematology (II)				
Study Acronym/ Full Title	LRP	PI	Drug Class/ Tumour Target	
CC-92480-MM-001 A Phase 1 Multicenter, Open-Label Study to Assess The Safety, Pharmacokinetics And Preliminary Efficacy of CC-92480 in Combination With Dexamethasone in Subjects With Relapsed And Refractory Multiple Myeloma.	<u>18/0040</u>	Dr. Rakesh Popat	Cereblon E3 Ligase Modulator Relapsed and Refractory Multiple Myeloma	
CCS1477-02 An open-label Phase I/IIa study to evaluate the safety and efficacy of CCS1477 as monotherapy in patients with advanced haematological malignancies	<u>121140</u>	Dr. Jenny O'Nions	P300/CBP Inhibitor Advanced Haematological Malignancies	
CL1-65487-003 Phase I / II, open label, dose escalation part (phase I) followed by non-comparative expansion part (phase II), multicentre study, evaluating safety, pharmacokinetics and efficacy of S65487, a Bcl2 inhibitor combined with azacitidine in adult patients with previously untreated acute myeloid leukemia not eligible for intensive treatment.	<u>136715</u>	Dr. Jenny O'Nions	BCL-2 Inhibitor Previously Untreated Acute Myeloid Leukaemia, not eligible for Intensive Treatment	
CO41942 Ph1b study of bispecifics with lenalidomide in relapsed/ refractory FL.	<u>130416</u>	Dr. William Townsend	CD3-CD20 Bispecific Antibody Relapsed or Refractory Follicular Lymphoma	
DREAMM-6 A Phase I/II, Open-label, Dose Escalation and Expansion Study to Evaluate Safety, Tolerability, and Clinical Activity of the Antibody-Drug Conjugate GSK2857916 Administered in Combination with Lenalidomide Plus Dexamethasone (Treatment Arm A), or Bortezomib Plus Dexamethasone (Treatment Arm B) in Participants with Relapsed or Refractory Multiple Myeloma.	<u>18/0571</u>	Dr. Rakesh Popat	Humanised Monoclonal Antibody (anti-BCMA) Relapsed or Refractory Multiple Myeloma	
EP0042-101 A Modular, Multipart, Multi-arm, Open-label, Phase I/IIa Study to Evaluate theSafety and Tolerability of EP0042 Alone and in Combination with Anti-cancerTreatments in Patients with Advanced Malignancies.	<u>134892</u>	Dr. Jenny O'Nions	FLT3 inhibitor & Aurora Kinase Inhibitor Acute Myeloid Leukaemia (AML) or Myelodysplastic Syndromes (MDS)	
NP40126 A Phase 1b Study Evaluating Ro7082859 In Combination With Rituximab (R) Or Obinutuzumab (G) Plus Cyclophosphamide, Doxorubicin, Vincristine, And Prednisone (CHOP) In Participants With Relapsed Refractory Follicular Lymphoma (R/R FI) Or In Participants With Untreated Diffuse Large B-Cell Lymphoma	<u>17/0859</u>	Dr. William Townsend	Glofitamab (CD3-CD20 T-Cell Bispecific Antibody) Relapsed Refractory Follicular Lymphoma Or Untreated Diffuse Large B-Cell Lymphoma	
NVG111-101 NVG111-101: An open-label, phase 1/2, first in human study investigating the safety, tolerability, pharmacokinetics and efficacy of NVG-111 in subjects with relapsed/refractory chronic lymphocytic leukaemia and mantle cell lymphoma.	<u>135715</u>	Dr. William Townsend	Receptor Tyrosine Kinase Like Or- phan Like Receptor 1 (ROR1) Bispecific antibody Relapsed or Refractory Chronic Lymphocytic Leukaemia & Mantle Cell Lymphoma	

Haematology (III)			
Study Acronym/ Full Title	LRP	Ы	Drug Class/ Tumour Target
Teclistamab in Relapsed or Refractory Multiple Myeloma A Phase 1/2b, First-in-Human, Open-Label, Dose Escalation Study of Teclistamab, a Humanised BCMA x CD3 Bispecific Antibody, in Subjects with Relapsed or Refractory Multiple Myeloma.		Dr. Rakesh Popat	Humanised Bispecific Antibody (BCMA & CD3) Relapsed or Refractory Multiple Myeloma

Hepatobiliary				
Study Acronym/ Full Title	LPR	PI	Drug Class/ Target	
ADP-0033-001 A Phase I Open Label Clinical Trial Evaluating the Safety and Anti-Tumor Activity of Autologous T Cells Expressing Enhanced TCRs Specific for Alpha Fetoprotein (AFP ^{c332} T) in HLA-A2 Positive Subjects With Advanced Hepatocellular Carcinoma (HCC) or Other AFP Expressing Tumor Types.		Prof. Tim Meyer	T-Cell Therapy Advanced Hepatocellular Carcinoma (HCC) or Other AFP Expressing Tumour Types	
TAS-120 A Dose Finding Phase I Study of TAS-120 in Patients with Advanced Solid Tumors With or Without Fibroblast Growth Factor/Receptor (FGF/FGFR)-Related Abnormalities Followed by a Phase 2 Study in Patients With Advanced Solid Tumors FGF/FGFR-Related Abnormalities	<u>17/0474</u>	Prof. John Bridgewater	FGFR2 Inhibitor Cholangiocarcinoma harbouring FGFR2 Gene Fusion	

Sarcoma			
Study Acronym/ Full Title	LPR	PI	Drug Class/ Target
Afatinib in Chordoma A phase 2, single arm, European multi-center trial evaluating the efficacy of afatinib as first-line or later-line treatment in advanced Chordoma.		Dr. Sandra Strauss	EGFR Small Molecule Inhibitor Advanced Chordoma

Solid Tumours			
Study Acronym/ Full Title	LPR	PI	Drug Class/ Target
AGI-134 A phase I/IIa, multicentre, open label study designed to evaluate the safety and tolerability of AGI-134 as monotherapy and in combination with pembrolizumab, in unresectable metastatic solid tumours.		Dr. Martin Forster	Anti-αGal Unresectable Superficial Metastatic Melanoma or Squamous Cell Cancers

Solid Tumours (II)				
Study Acronym/ Full Title	LPR	PI	Drug Class/ Target	
BLU-667 A Phase 1 Study of the Highly-selective RET Inhibitor, BLU-667, in Patients with Thyroid Cancer, Non-Small Cell Lung Cancer (NSCLC) and Other Advanced Solid Tumors.	<u>17/0783</u>	Dr. Martin Forster	RET Inhibitor Thyroid Cancer, NSCLC, Other RET- driven Advanced Solid Tumours	
BICYCLE Study: BT171/8 A Cancer Research UK Phase I/IIa trial of BT1718, (A Bicycle drug conjugate), given intravenously in patients with advanced solid tumours.	<u>100211</u>	Dr Dionysios Papadatos- Pastos	Bicycle Drug Conjugate Advanced Solid Tumours	
D9170C00001 A Phase I/IIa, Open-Label Study to Assess the Safety, Tolerability, Pharmacokinetics and Preliminary Efficacy of Ascending Doses of AZD7648 Monotherapy or in Combination with either Cytotoxic Chemotherapies or Novel Anti-Cancer Agents in Patients with Advanced Malignancies	<u>18/0580</u>	Dr. Rowan Miller	DNA-PK Inhibitor Advanced Malignancies	
IMC-F106C-101 A Phase 1/2 First-in-Human Study of the Safety and Efficacy of IMC-F106C as a Single Agent and in Combination with Checkpoint Inhibitors in HLA-A*02:01-Positive Participants with Advanced PRAME-Positive Cancers	<u>130728</u>	Dr. Heather Shaw	PRAME Immune-Mobilizing T- Cell Receptor against Cancer HLA-A*02:01-Positive Participants with Advanced PRAME-Positive Cancers	
LOXO-TRK-15002 LOXO-TRK-15002: A Phase II Basket Study of the Oral TRK Inhibitor LOXO-101 in Subjects with NTRK Fusion-Positive Tumors.	<u>16/0077</u>	Dr. Martin Forster	TRK Inhibitor NTRK Fusion-Positive Tumours	
MOv18 A Cancer Research UK Phase I study of MOv18 IgE, a first in class chimeric IgE antibody against folate receptor- α , in patients with advanced solid tumours.	<u>17/0121</u>	Dr. Rowan Miller	IgE Antibody against Folate Receptor-α Advanced Solid Tumours	
MULTI-31 An open-label, Phase II, platform trial evaluating safety and efficacy of multiple BI 754091 anti-PD-1 based combination regimens in PD-(L)1 naïve and PD-(L)1 pretreated patient populations with advanced and/or metastatic solid tumours who have had at least one line of systemic therapy	<u>123071</u>	Dr. Martin Forster	Anti-PD-L1 Based Combination Regime PD-(L)1 naïve & PD-(L)1 pre-treated patients with advanced and/or metastatic solid tumours, had at least one line of systemic therapy.	
PATRIOT A Phase I Study to assess the Tolerability, Safety and Biological Effects of a Specific Ataxia Telangiectasia and Rad3Related (ATR) Inhibitor (AZD6738) as a Single Agent and in Combination with Palliative Radiation Therapy in Patients with Solid Tumours	<u>14/0342</u>	Dr. Martin Forster	ATR Serine/Threonine Protein Kinase Inhibitor Solid Tumours	
Starpharma CTX A phase 1/2 dose-escalation study to evaluate the safety, tolerability, pharmacokinetics and preliminary efficacy of CTX-SPL9111 (a cabazitaxel (CTX)-dendrimer conjugate) in patients with advanced solid tumours.	<u>18/0016</u>	Dr. Martin Forster	Drug-Dendrimer Conjugate Advanced Solid Tumours	

Solid Tumours (III)				
Study Acronym/ Full Title	LPR	Ы	Drug Class/ Target	
Starpharma DTX A phase 1/2 dose-escalation study to evaluate the safety, tolerability, pharmacokinetics and preliminary efficacy of DTX-SPL8783 (a docetaxel (DTX)-dendrimer conjugate) as monotherapy in patients with advanced solid tumours or in combination with nintedanib in patients with non-small cell lung cancer (NSCLC).	<u>17/0585</u>	Dr. Martin Forster	Drug-Dendrimer Conjugate (Tubulin Polymerase Inhibitor) Advanced solid tumours Or non-small cell lung cancer (NSCLC)	
TACTI-002 (Two ACTive Immunotherapeutics): A multicenter, open label, phase II study in patients with previously untreated unresectable or metastatic non-small cell lung cancer (NSCLC), or recurrent PD-X refractory NSCLC or with recurrent or metastatic squamous head and neck cancer (HNSCC) receiving the soluble LAG-3 fusion protein eftilagimod alpha (IMP321) in combination with pembrolizumab (PD-1 antagonist).	<u>18/0560</u>	Dr. Martin Forster	APC Activator & Anti-PD-1 Monoclonal Antibody Previously untreated unresectable or metastatic non-small cell lung cancer (NSCLC), Or recurrent PD-X refractory NSCLC Or with recurrent or metastatic squamous head and neck cancer (HNSCC)	

Urology				
Study Acronym/ Full Title	LRP	PI	Drug Class/ Target	
BXCL701 A Phase 1b/2 Study of BXCL701, a Small Molecule Inhibitor of Dipeptidyl Peptidases (DPP), Administered in Combination with the Anti-Programmed Cell Death 1(PD-1) Monoclonal Antibody Pembrolizumab (PEMBRO; Keytruda®) in Patients with Small Cell Neuroendocrine Prostate Cancer (SCNC; NEPC).	<u>113103</u>	Dr. Mark Linch	Dipeptidyl Peptidases (DPP) Inhibit & Anti-PD-1 Monoclonal Antibody Small Cell Neuroendocrine Prostate Cancer (SCNC; NEPC)	
FIDES-02 (DZB-CS-201) An open-label multi-cohort Phase 1/2 study of derazantinib and atezolizumab in patients with urothelial cancer expressing activating molecular FGFR aberrations (FIDES-02)	<u>124615</u>	Dr. Mark Linch	FGFR Inhibitor& Anti PD-L1 Monoclonal Anti- bodyAdvanced Urothelial Cancer expressing FGFR Genetic aberrations.Substudy 4: Urothelial progression - FGFR-inhibitor resistant (>12 weeks) & previous chemo and CPI	
PRO-MERIT (Prostate Cancer Messenger RNA Immunotherapy): A first-in -human, dose titration and expansion trial to evaluate safety, immunogenicity and preliminary efficacy of W_pro1 in patients with metastatic castration resistant prostate cancer and W_pro1 in combination with cemiplimab and/or goserelin acetate in patients with high-risk, localized prostate cancer.	<u>122815</u>	Dr. Mark Linch	W_pro1 mRNA Cancer Vaccine Group 1: mCRPC that have exhausted conventional treatment Group 2: High-risk, Localized Prostate Cancer prior to Prostatectomy	